

\*Die Arten im **Fettdruck** sind erstmals im Untersuchungsgebiet belegt.

Artname	RoteListe-Status	G	H	leg./det.
<b>1. Ascomyceten</b>				
<i>Antinoea strobilina</i> (Fr.: Fr.) Velen.		x		<b>FD/HB</b>
<i>Arnium cervinum</i> Lundq.			x	<b>NH</b>
<i>Arnium sudermanniae</i> Lundq.			x	<b>NH</b>
<i>Ascobolus furfuraceus</i> Pers.: Fr.		x		<b>NH</b>
<i>Ascobolus immersus</i> Pers.: Fr.		x		<b>NH</b>
<i>Ascodichaena rugosa</i> Butin		x		<b>PK</b>
<i>Bertia moriformis</i> (Tode) De Not. var. <i>moriformis</i>		x		<b>HB</b>
<i>Biscogniauxia marginata</i> (Fr.: Fr.) Pouz.		x		<b>PK</b>
<i>Biscogniauxia nummularia</i> (Bull.: Fr.) Kuntze		x		<b>PK</b>
<i>Bisporella citrina</i> (Batsch: Fr.) Korf & Carpenter		x	x	<b>EG, HB</b>
<i>Calycellina lachnobrachya</i> (Desm.) Baral in Baral & Krieglst.		x		<b>HB</b>
<i>Calycellina punctata</i> (Fr.) Lowen & Dumont		x		<b>HB</b>
<i>Cercophora coprophila</i> (Fr.) Lundq.		x		<b>NH</b>
<i>Chaetosphaeria aff. innumera</i>		x		<b>HB</b>
<i>Cheilymenia granulata</i> (Bull.: Merat: Fr.) Moravec [= <i>Coprobria granulata</i> (Bull.: Fr.) Boud.]		x		<b>PK</b>
<i>Coniochaeta leucoplaca</i> (Sacc.) Cain		x		<b>NH</b>
<i>Coprotus granuliformis</i> (Crouan & H. Crouan) Kimbrough		x	x	<b>NH</b>
<i>Coprotus lacteus</i> (Cooke & Phill.) Kimbrough, Luck-Allen & Cain			x	<b>NH</b>
<i>Coprotus niveus</i> (Fuckel) Kimbrough		x		<b>NH</b>
<i>Coprotus ochraceus</i> (Crouan & H. Crouan) Larsen		x		<b>NH</b>
<i>Coprotus sexdecimsporus</i> (Crouan & Crouan) Kimbrough & Korf		x		<b>NH</b>
<i>Coprotus winteri</i> (Marchal) Kimbrough		x	x	<b>NH</b>
<i>Cucurbitaria berberidis</i> (Pers.: St. Am.) Gray		x		<b>PK</b>
<i>Delitschia spec.</i>			x	<b>NH</b>
<i>Diatrype decorticata</i> (Pers.: Fr.) Rappaz [= <i>D. stigma</i> var. <i>decorticata</i> (Pers.: Fr.) Fr.]		x		<b>PK</b>
<i>Diatrypella verrucaeformis</i> (Ehrh.)Nke.			x	<b>EG</b>
<i>Durella connivens</i> (Fr.: Fr.) Rehm		x		<b>HB</b>
<i>Helicogonium conniventis</i> Baral & Marson		x		<b>HB</b>
<i>Hyalorbilia juliae</i> (Velen.) Baral & Priou			x	<b>HB</b>
<i>Hyalorbilia tortuosa</i> Baral, Collot & Valade nom. prov.		x		<b>PW/HB</b>
<i>Hymenoscyphus caudatus</i> (P. Karst.) Dennis		x		<b>HB</b>
<i>Hymenoscyphus fructigenus</i> (Bull. : Mérat : Fr.) Gray		x		<b>HB</b>
<i>Hymenoscyphus</i> « <b>Sophienpflege</b> » Baral		x		<b>PK/HB</b>
<i>Hymenoscyphus immutabilis</i> (Fuckel) Dennis			x	<b>RB/HB</b>
<i>Hymenoscyphus rhytidiadelphi</i> Svrcek		x		<b>PK</b>
<i>Hypoxylon cohaerens</i> (Pers.: Fr.) Fr.		x		<b>PK</b>
<i>Hypoxylon deustum</i> (Hoffm.: Fr.) Grev. [= <i>Ustulina deusta</i> (Fr.) Petrak]		x		<b>PK</b>
<i>Hypoxylon fragiforme</i> (Pers.: Fr.) Kickx		x	x	<b>PK, WB</b>
<i>Hysterium pulicare</i> Pers.		x		<b>OD, NH</b>

<i>Humaria hemisphaerica</i> (Wiggers: Fr.) Fuckel		x		PK
<i>Incrucipulum ciliare</i> (Schrad. in Gmelin: Fr.) Baral in Baral & Krieglst.		x		HB
<i>Iodophanus carneus</i> (Pers.) Korf		x	x	NH, HB
<i>Laetinaevia uvidula</i> (P. Karst.) Baral & G. Marson comb. ined. (= <i>Helotium uvidulum</i> P. Karst.)		x		HB
<i>Lophodermium juniperinum</i> (Fr.) de Not		x		PK
<i>Microglossum olivaceum</i> (Pers.: Fr.) Gill.		x		PK
<i>Nectria lamyi</i> (Desm.) de Not. [= <i>Thyronectria lamyi</i> (Desm.) Seeler]		x		FD/HB
<i>Nectria peziza</i> (Tode: Fr.) Fr.		x		PW/HB
<i>Orbilina delicatula</i> (P. Karst.) P. Karst.		x		HB
<i>Orbilina pleioeuonymi</i> Baral & Marson nov. spec.		x		HB
<i>Orbilina montigena</i> Baral & Marson nov. spec.		x		HB
<i>Otidea propinquata</i> (Karst.) Harmaja		x		PK/TL
<i>Perrotia tricolor</i> (Sow.: Fr.) Baral & Karasch comb. nov.		x		PK/HB
<i>Phomatospora minutissima</i> (H. & P. Crouan) Lundq.			x	NH
<i>Podospora communis</i> (Speg.) Niessl		x	x	NH
<i>Podospora decipiens</i> (Winter: Fuckel) Niessl		x		NH
<i>Podospora fimiseda</i> (Ces. & De Not.) Niessl		x		NH
<i>Podospora myriasporea</i> (P. Crouan & H. Crouan) Niessl			x	NH
<i>Podospora pauciseta</i> (Ces.) Traverso			x	NH
<i>Podospora pyriformis</i> (A. Bayer) Cain		x		NH
<i>Psilocistella conincola</i> (Velen.) Svrcek		x		FD/HB
<i>Rhizodiscina lignyota</i> (Fr.) Hafellner		x		NH/HB
<i>Rhythisma acerinum</i> (Pers.: St. Amans) Fr.		x	x	JM, WB
<i>Rutstroemia sydowiana</i> (Rehm) W.L. White		x		HB
<i>Saccobolus beckii</i> Heimerl			x	NH
<i>Saccobolus citrinus</i> Boud. & Torrend		x	x	NH
<i>Saccobolus minimus</i> Vel.		x		NH
<i>Saccobolus verrucisporus</i> Brumm.			x	NH
<i>Schizothezium aloides</i> (Fuck.) Lundquist		x	x	NH
<i>Schizothezium conicum</i> (Fuck.) Lundquist		x	x	NH
<i>Schizothecium vesticola</i> (Berk. & Br.) Lundq.			x	NH
<i>Scutellinia crucipila</i> (Cooke et Phill.) J. Mor.			x	PW, NH
<i>Scutellinia subhirtella</i> Svr.		x		NH
<i>Sporormiella capybarae</i> (Speg.) Ahmed & Cain		x		NH
<i>Sporormiella lageniformis</i> (Fuckel) Ahmed & Cain			x	NH
<i>Sporormiella longisporopsis</i> Ahmed & Cain		x		NH
<i>Sporormiella minima</i> (Auersw.) Ahmed & Cain		x	x	NH
<i>Sporormiella muskokensis</i> Ahmed & Cain			x	NH
<i>Sporormiella pulchella</i> (Hansen) Ahmed & Cain			x	NH
<i>Sporormiella teretispora</i> Ahmed & Cain			x	NH
<i>Thecotheus pelletieri</i> (Crouan) Boud.		x		NH
<i>Thelebolus polysporus</i> (P. Karsten) Y. Otani & Kanzawa			x	NH
<i>Trichophaea velenovskyi</i> (Vacek in Svrcek) Häffner & Christan		x		PK, HB, TL
<i>Xylaria hypoxylon</i> (L.: Hooker) Grev.			x	JM, EG
<i>Xylaria longipes</i> (Nitschke) Dennis		x		PK
<i>Xylaria polymorpha</i> (Pers.: Mér.) Grev.		x		PK
<i>Zygopleurage zygospora</i> (Speg.) Boedijn		x		NH

<b>2. Basidiomyceten</b>				
<i>Aleurocystidiellum disciforme</i> (DC. Fr.) Telleria [= <i>Aleurodiscus disciformis</i> (DC.: Fr.) Pat.]		x		FD, PK
<i>Alnicola melinoides</i> (Bull.: Fr.) Kühner			x	EG
<i>Alnicola scolecina</i> (Fr.) Romagn.			x	EG
<i>Amphinema byssoides</i> (Pers.: Fr.) J. Erikss.		x		FD
<i>Athelia epiphylla</i> Pers.		x		FD
<i>Auricularia auriculae - judae</i> (Bull.: St. Am.) Wettst.			x	PK
<i>Basidiodendron caesiocinereum</i> (Höhn. & Litsch.) Luck-Allen		x		FD
<i>Basidioradulum radula</i> (Fr.: Fr.) Nobles		x		FD
<i>Bjerkandera adusta</i> (Willd.: Fr.) P. Karst.		x	x	FD, WB
<i>Botryobasidium conspersum</i> J. Erikss.		x		FD
<b><i>Bulbillomyces</i> sp.</b>		x		HB
<i>Byssocorticium atrovirens</i> (Fr.) Bond.& Sing.: Sing.		x		FD
<i>Calocera viscosa</i> (Pers.: Fr.) Fr.			x	EG
<b><i>Cerrena unicolor</i></b> (Bull.: Fr.) Murr.			x	EG
<i>Clavaria candida</i> Weinm. ss. Romagn.		x		PK
<i>Clavaria incarnata</i> Weinm.		x		PK
<i>Clavulina coralloides</i> (L.: Fr.) Schroeter		x		PK
<i>Clavulinopsis helveola</i> (Pers.: Fr.) Corner		x		PK/FD
<i>Clavulinopsis luteoalba</i> (Rea) Corner		x		PK
<i>Clitocybe ditopa</i> (Fr.: Fr.) Gill.		x	x	PK
<i>Clitocybe nebularis</i> (Batsch: Fr.) Kumm.		x	x	PK, JM
<i>Clitocybe vibecina</i> (Fr.: Fr.) Qué. ss. Kuyper		x		PK
<i>Clitopilus cystidiatus</i> Hausknecht & Noordel. (?= <i>C. prunulus</i> (Scop.: Fr.) Kumm.		x		PK
<i>Collybia cookei</i> (Bres.) J. D. Arnold		x	x	PK, JM
<i>Coprinus acuminatus</i> (Romagn.) P.D. Orton			x	JM
<i>Coprinus atramentarius</i> (Bull.: Fr.) Fr.			x	JM, EG
<b><i>Coprinus comatus</i></b> (Müll.: Fr.) Pers.			x	EG
<i>Coprinus disseminatus</i> (Pers.: Fr.) S. F. Gray			x	JM, EG
<b>*<i>Coprinus erythrocephalus</i> (Lév.) Fr.</b>			x	UK/TL
<i>Coprinus micaceus</i> (Bull.: Fr.) Fr.			x	JM, EG
<i>Coprinus pellucidus</i> Karst.		x	x	NH
<i>Coprinus poliomallus</i> Romagn.			x	NH
<i>Coprinus pseudoniveus</i> Bender & Uljé (Uljé & Noordel.)		x		NH, PK
<b>*<i>Coprinus semitalis</i></b> P. D. Orton			x	JM
<i>Coprinus stercoreus</i> (Scop.) Fr.			x	JM
<i>Corioloopsis gallica</i> (Fr.) Ryv.		x		FD
<i>Cortinarius (Phl.) elegantior</i> Fr.		x		PK
<i>Cortinarius (Phl.) infractus</i> (Fr.: Fr.) Fr. var. <i>olivellus</i>		x		PK
<i>Cortinarius (Phl.) triumphans</i> (Fr.) Fr.		x		PK
<i>Crepidotus inhonestus</i> P. Karst.			x	JM
<i>Crepidotus versutus</i> (Peck.) Sacc.		x		PK
<i>Crucibulum laeve</i> (Bull.: DC) Kambly		x		PK
<i>Cylindrobasidium laeve</i> (Pers.: Fr.) Chamuris		x		FD
<i>Daedalea quercina</i> (L.) Pers.			x	JM
<i>Daedaleopsis confragosa</i> (Bolton: Fr.) J. Schröt.		x	x	FD, WB

<i>Daedaleopsis confragosa</i> var. <i>tricolor</i> Bull.: Bond		x		FD, PK
<i>Dermoloma cuneifolium</i> (Fr.) Ort.	D 2/By 3	x		PK
<i>Exidia plana</i> (F. H. Wigg.) Donk		x		FD
<i>Exidia pithya</i> Alb.& Schw.: Fr.		x		PK
<i>Fomes fomentarius</i> (L.: Fr.) Fr.		x	x	PK
<i>Fomitopsis pinicola</i> (Sw.: Fr.) P. Karst.		x		FD
<i>Galerina atkinsonia</i> A. H. Smith [= <i>G. vittiformis</i> var. <i>atkinsoniana</i> Smith (Krieglst.)]		x		PK
<b><i>Galerina laevis</i></b> (Pers.) Sing.			x	JM
<i>Galerina marginata</i> (Batsch) Kühn.		x		PK
<i>Galerina vittiformis</i> (Fr.) Sing.		x		PK
<i>Ganoderma applanatum</i> (Pers.: Wallr.)Pat. = <i>G. lipsiense</i> (Batsch) Atk.			x	JM
<i>Geastrum berkeleyi</i> Masee		x		PK
<i>Gloeophyllum sepiarium</i> (Wulf.: Fr.) Karst		x		WB
<i>Gomphidius rutilus</i> (Schaeff.: Fr.) Lund.		x		PK
<i>Gymnopilus penetrans</i> (Fr.: Fr.) Murr.		x		PK
<i>Handkea excipuliformis</i> (Scop.: Pers.) Kreisel		x		PK
<i>Handkea utrififormis</i> (Bull.: Pers.) Kreisel [= <i>Calvatia utrififormis</i> (Bull.: Pers.) Jaap]		x		WB
<i>Hapalopilus nidulans</i> (Fr.) Karst.		x		FD, PK
<i>Hebeloma senescens</i> (Batsch) Berk.& Br.(= <i>H. edurum</i> Métrod)		x		PK
<b>*<i>Hebeloma sordescens</i></b> Vesterh.		x		JM
<i>Hemimycena cucullata</i> (Pers.: Fr.) Sing.			x	JM
<i>Hemimycena crispula</i> (Quél.) Sing.		x		JM
<i>Hemimycena pseudocrispula</i> (Kühn.) Sing.		x		JM
<b>*<i>Hemimycena subtilis</i></b> (Vel.) Antonin			x	JM
<i>Hydnum repandum</i> L.: Fr.		x		PK
<i>Hygrocybe ceracea</i> (Fr.: Fr.) Kummer	D 3/ By 3	x		PK
<i>Hygrocybe insipida</i> (Lange) Moser	D 3/ By 2	x		PK
<i>Hygrocybe pratensis</i> (Pers.: Fr.) Murr. [= <i>Camarophyllus pratensis</i> (Pers.: Fr.) Kummer]	By 3	x		PK
<i>Hygrocybe virginea</i> (Wulf.: Fr.) Ort. & Watl. [= <i>Camarophyllus virgineus</i> (Wulf.: Fr.) Kumm.]		x		PK
<i>Hygrophorus agathosmus</i> (Fr.) Fr.	D 3	x		PK
<i>Hygrophorus discoideus</i> (Pers.: Fr.) Fr.	By 4	x		PK
<i>Hygrophorus unicolor</i> Gröger		x		PK
<i>Hymenochaete rubiginosa</i> (Dicks.: Fr.)Lév.		x		FD, PK
<i>Hyphoderma medioburiense</i> (Burt) Donk		x		FD
<i>Hyphoderma puberum</i> (Fr.) Wallr.		x		FD
<i>Hyphodontia nespori</i> (Bres.) J. Erikss. & Hjortst.		x		FD
<i>Inocybe flocculosa</i> (Berk.) Sacc.		x		PW
<i>Inocybe petiginosa</i> (Fr.) Gillet		x		PK
<i>Inonotus nodulosus</i> (Fr.) Karst.		x		PK
<i>Lacrymaria lacrymabunda</i> (Bull.:Fr.)Pat.			x	EG
<i>Lactarius deliciosus</i> (L.) S. F. Gray		x		JM
<i>Lactarius deterrimus</i> Gröger		x		PK
<b><i>Lactarius rubrocinctus</i></b> Fr.			x	EG
<i>Lactarius torminosus</i> (Schaeff.: Fr.) Gray		x		PK

<i>Leccinum scabrum</i> (Bull.: Fr.) Gray ss. str.		x		PK
<i>Lepista nuda</i> (Bull.:Fr.)Cke.		x	x	WB, EG
<i>Lepista panaeolus</i> (Fr.) Karst. [= <i>L. luscina</i> (Fr.: Fr.) Sing.]		x		PK
<b>*Leptosporomyces raunkiaerii</b> (M. P. Christ.) Jülich		x		FD
<i>Lycoperdon lividum</i> Pers.		x		PK
<i>Lycoperdon perlatum</i> Pers.: Pers.		x	x	WB
<i>Lycoperdon pyriforme</i> Schaeff.: Pers.			x	JM, EG
<i>Macrolepiota excoriata</i> (Schaeff. Fr.) Wass.			x	PK
<i>Macrolepiota procera</i> (Scop.: Fr.) Sing.		x		PK
<i>Marasmius androsaceus</i> (L.: Fr.) Fr.			x	JM
<i>Marasmius bulliardii</i> Quéł.			x	JM, EG
<i>Marasmius curreyi</i> Berk. & Br. [= <i>M. graminum</i> (Lib.) Berk. & Br.]		x		JM
<i>Marasmius epiphyllus</i> (Pers.: Fr.) Fr.		x	x	JM
<i>Marasmius rotula</i> (Scop.: Fr.) Fr.		x		PK
<i>Marasmius setosus</i> (Sow.) Noordel.		x	x	JM
<i>Marasmius torquescens</i> Quéł.			x	JM
<b>Melanoleuca arcuata</b> (Bull.) Fr.			x	EG
<i>Melanoleuca polioleuca</i> (Fr.: Fr.) Kühn. & Mre.		x		PK
<b>Meripilus giganteus</b> (Pers.: Fr.)P.Karst.			x	FD
<i>Merulius tremellosus</i> Schrad.: Fr.		x		FD
<b>*Mucronella bresadolae</b> (Quéł.) Corner		x		FD
<i>Mycena aetites</i> (Fr.) Quéł.		x		PK
<i>Mycena capillaris</i> (Schum.: Fr.) Kumm.		x	x	JM
<i>Mycena corynephora</i> M.Geest.		x		PK
<b>Mycena crocata</b> (Schrad.: Fr.) Kumm.			x	JM
<b>Mycena filopes</b> (Bull.: Fr.) Kumm.		x	x	JM
<i>Mycena flavoalba</i> (Fr.) Quéł.		x	x	JM
<i>Mycena galericulata</i> (Scop.: Fr.) S. F. Gray		x		JM
<i>Mycena galopus</i> (Pers.: Fr.) Kumm.			x	JM
<i>Mycena hiemalis</i> (Osbeck ap. Retz. : Fr.) Quéł.			x	JM
<i>Mycena leptcephala</i> (Pers.: Fr.) Quéł.			x	JM
<i>Mycena leptophylla</i> (Peck.) Sacc.	By 3		x	TL
<i>Mycena pelianthina</i> (Fr.) Quéł.		x		PW/JM
<i>Mycena polyadelpa</i> (Lasch) Kühn.		x		JM
<i>Mycena polygramma</i> (Bull.: Fr.) S. F. Gray		x		PK
<i>Mycena rosea</i> (Bull.) Gramberg		x		JM
<i>Mycena speirea</i> (Fr.: Fr.) Gill.		x	x	JM
<b>*Mycena urania</b> (Fr.: Fr.) Quéł.		x		TL/JM
<i>Mycena viscosa</i> Mre. [= <i>M. epipterygia</i> (Scop.: Fr.) S. F. Gray f. <i>viscosa</i> (Mre.) Ricken]			x	JM
<i>Mycena vitilis</i> (Fr.) Quel.		x	x	PK, JM
<i>Mycena vulgaris</i> (Pers.:Fr.)Kummer			x	EG
<i>Mycoacia uda</i> (Fr.) Donk		x		FD, PK
<i>Oligoporus caesius</i> (Schrad.: Fr.) Gilb.& Ryv. [= <i>Postia caesia</i> (Schrad.: Fr.) Karst.]			x	EG, WB
<b>Oligoporus subcaesius</b> (A. David) Ryv. & Gilb.		x		FD
<i>Oudemansiella mucida</i> (Schrad.: Fr.) v. Höhnel		x		PK
<b>Panaeolus fimicola</b> (Fr.) Gill.			x	JM

<i>Panaeolus papilionaceus</i> (Bull.: Fr.) Quél.		x		NH
<i>Peniophora pithya</i> (Pers.) J. Erikss.		x		FD
<i>Phanerochaete tuberculata</i> (P. Karst.) Parmasto		x		FD
<i>Phellinus contiguus</i> (Fr.) Bourd. & Galz.		x		FD
<i>Phellinus ferruginosus</i> (Quél.)Bourd. & Galz.		x		FD
<i>Phellinus punctatus</i> (Fr.: Karst.) Pilat		x		PK
<b><i>Phellinus tuberculatus</i></b> (Baumg.) Niemelä			x	PK/FD
<i>Phlebiella vaga</i> (Fr.)P.Karst.		x		FD
<i>Pholiota alnicola</i> (Fr.) Singer		x		PK
<i>Pholiota squarrosa</i> (Pers.: Fr.) Kumm.			x	PK, WB
<i>Piptoporus betulinus</i> (Bull.: Fr.) Karst.		x		PK
<i>Plicaturiopsis crispera</i> (Fr.) Reid			x	EG, WB
<i>Pluteus phlebophorus</i> (Ditm.: Fr.) Kumm.		x		PK
<i>Podostereum spadiceum</i> (Pers.: Fr.) Hjortst. & Ryv. [= <i>Lopharia spadicea</i> (Pers.: Fr.) Boidin],		x		FD, PK
<i>Polyporus arcularius</i> Batsch: Fr.			x	JM
<i>Polyporus varius</i> Pers.: Fr.		x		FD
<b>*<i>Porotheleum fimbriatum</i></b> (Pers.: Fr.) Fr. [= <i>Stromatoscypha fimbriata</i> (Pers.: Fr.) Donk]		x		PW/FD
<i>Psathyrella candolleana</i> (Fr.: Fr.) Mre.			x	EG
<i>Radulomyces confluens</i> (Fr.: Fr.) M. P. Christ.		x		FD
<i>Ramaria abietina</i> (Pers.: Fr.) Quél.		x		PK
<i>Ramaria flaccida</i> (Fr.) Bourdot		x		PK
<b><i>Ramariopsis kunzei</i></b> Fr.: Corner		x		PK
<i>Ramariopsis tenuiramosa</i> Corner		x		PK
<i>Resinicium bicolor</i> (Alb. & Schw.: Fr.) Parmasto		x		FD
<i>Rhodocollybia butyracea</i> f. <i>asema</i> (Fr.: Fr.) Antonin, Hall. & Noordel. (= <i>Collybia butyracea</i> var. <i>asema</i> Fr.)			x	JM, EG
<i>Rickenella fibula</i> (Bull.: Fr.) Raitlh.		x	x	PK, JM
<i>Russula cavipes</i> Britz.		x		PK
<i>Russula mairei</i> Sing.		x		PK
<i>Russula ochroleuca</i> (Pers.) Fr.		x		PK
<i>Schizophyllum commune</i> Fr.		x	x	FD, WB
<b><i>Schizopora flavipora</i></b> (Cooke) Ryv.		x		FD
<b><i>Schizopora radula</i></b> (Pers.: Fr.) Hallenb.		x		FD
<b><i>Scopuloides hydroides</i></b> (Cooke & Masee) Hjortst. & Ryv.		x		FD
<i>Scutigera subrubescens</i> Murrill [= <i>Albatrellus subrubescens</i> (Murrill) Pouzar]		x		FD
<i>Sebacina epigaea</i> (Berk. & Br.) Neuh.		x		FD
<i>Sebacina incrustans</i> (Pers.: Fr.) Tul.		x		PK/FD
<b><i>Steccherinum fimbriatum</i></b> (Pers.: Fr.) J. Erikss.		x		FD
<i>Steccherinum ochraceum</i> (Pers.: Fr.) Gray		x		FD
<i>Stereum hirsutum</i> (Willd.: Fr.) S. F.Gray		x		PK
<i>Stereum rugosum</i> Pers.:Fr.			x	EG

<i>Stereum sanguinolentum</i> (Alb. & Schw.: Fr.) Pouzar		x		FD, PK
<i>Suillus grevillei</i> (Klotzsch: Fr.) Singer		x		PK
<b>*<i>Thanatephorus fusisporus</i></b> (Schroet.) Hauerslev & P. Roberts		x		FD
<i>Thelephora terrestris</i> Ehrh.: Willd.: Fr.		x		FD, PK
<i>Tomentella bryophila</i> (Pers.) M. J. Larsen		x		FD
<i>Tomentella cinerascens</i> (P. Karst.) Höhn. & Litsch.		x		FD
<i>Tomentella coerulea</i> (Bres.) Höhn. & Litsch.		x		FD
<i>Tomentella ferruginea</i> (Pers.: Pers.) Pat.		x		FD
<i>Tomentella fibrosa</i> (Berk. & Curt.) Kõljalg		x		FD
<i>Tomentella lapida</i> (Pers.) Stalpers		x		FD
<b><i>Tomentella lateritia</i></b> Pat.			x	FD
<i>Tomentella lilacinogrisea</i> Wakef.		x		FD
<i>Tomentella punicea</i> (Alb. & Schw.: Pers.) Schröter in Cohn		x		FD
<i>Tomentella</i> sp. FD 7548		x		FD
<i>Tomentella stuposa</i> (Link) Stalpers		x		FD
<b><i>Tomentella subclavigera</i></b> Litsch.		x		FD
<i>Tomentellopsis echinospora</i> (Ellis) Hjortst.		x		FD
<i>Tomentellopsis zygodesmoides</i> (Ellis) Hjortst.		x		FD
<i>Trametes gibbosa</i> (Pers.: Fr.) Fr.			x	EG
<i>Trametes hirsuta</i> (Wulfen: Fr.) Pilát		x		FD
<i>Trametes pubescens</i> (Schum.: Fr.) Pilát			x	EG, WB
<i>Trametes versicolor</i> (L.) Pilát		x	x	FD, WB
<b><i>Trechispora hymenocystis</i></b> (Berk. & Br.) K. H. Larss.		x		FD
<i>Trichaptum abietinum</i> (Pers.: Fr.) Ryv.		x		FD
<b><i>Tricholoma psammopus</i></b> (Kalchbr.) Quéf.			x	UK/TL
<i>Tricholoma vaccinum</i> (Pers.: Fr.) Kumm.		x		PK
<i>Tubaria conspersa</i> (Pers.: Fr.) Fayod		x		PK
<i>Vuilleminia comedens</i> (Nees: Fr.) Maire		x	x	PK
<i>Xerula longipes</i> (Bull.) Mre.		x		PK
<b>3. Sonstige</b>				
<b><i>Erysiphe galii var. galii</i></b> Blumer			x	WB
<i>Erysiphe (Microsphaera) hedwigii</i> (Lév.) U. Braun		x		PK
<b><i>Erysiphe urticae</i></b> (Wallr.) Blumer		x		PK
<b><i>Phyllactinia guttata</i></b> (Wallr.: Schldl.) Lév.		x		WB
<i>Phragmidium violaceum</i> (C. F. Schultz) Wint.		x		PK
<i>Pilobolus crystallinus</i> (Wiggers) Tode		x		PK
<b><i>Pseudospiropes simplex</i></b> (Hyphomyzet)		x		HB
<i>Puccinia asarina</i> Kunze			x	WB

## Moose

- HL Liste von H. Hertel und H. Laux  
 HL\* Von den Kartierern 2005 nicht bestätigt  
 HB Herbar W. Braun  
 HD Herbar O. Dürhammer  
 HT Herbar U. Teuber

Artname	Feld Nr.	Anm.
<b>Lebermoose</b>		
<i>Aneura pinguis</i> (L.) Dumort.	XII	
<i>Barbilophozia barbata</i> (Schreb.) Loeske	6A	
<i>Bazzania trilobata</i> (L.) Gray	V	
<i>Blepharostoma trichophyllum</i> (L.) Dumort.	V	
<i>Cephaloziella rubella</i> (Nees) Warnst.	4, 3	
<i>Frullania dilatata</i> (L.) Dumort.	G, 1A, 3, 5, 6, V, VI	HL
<i>Lepidozia reptans</i> (L.) Dumort.	V	
<i>Lophocolea bidentata</i> (L.) Dumort.	1A, XII, XIX	
<i>Lophocolea heterophylla</i> (Schrad.) Dumort.	5	
<i>Metzgeria furcata</i> (L.) Dumort.	V	
<i>Pellia endiviifolia</i> (Dicks.) Dumort.	4	
<i>Plagiochila asplenioides</i> (L.) Dumort.	V	
<i>Plagiochila porelloides</i> (Nees) Lindenb.	V	
<i>Radula complanata</i> (L.) Dumort.	V	
<i>Riccardia multifida</i> (L.) Gray	XII	
<i>Scapania nemorea</i> (L.) Grolle	V	

<b>Laubmoose</b>		
<i>Amblystegium confervoides</i> (Brid.) Schimp.	6	
<i>Amblystegium humile</i> (P. Beauv.) Crundw.	6A	
<i>Amblystegium radicale</i> (P. Beauv.) Schimp.	6A	
<i>Anomodon attenuatus</i> (Hedw.) Huebener	V	
<i>Barbula unguiculata</i> Hedw.	V	HT
<i>Brachythecium populeum</i> (Hedw.) Schimp.	4	
<i>Brachythecium rivulare</i> Schimp.	V	
<i>Brachythecium rutabulum</i> (Hedw.) Schimp.	6A, 5, VI	HL
<i>Brachythecium velutinum</i> (Hedw.) Schimp.	4	
<i>Bryum argenteum</i> Hedw.	1A, V	
<i>Bryum bicolor</i> Dicks.	1A	
<i>Bryum capillare</i> Hedw.	V	HL, HT
<i>Bryum laevifilum</i> Syed	3, 6	
<i>Bryum pseudotriquetrum</i> (Hedw.) P. Gaertn., E. Mey. & Scherb.	4, IV, XII	
<i>Bryum subelegans</i> Kindb.	G	

<b>Laubmoose</b>		
<i>Calliergonella cuspidata</i> (Hedw.) Loeske	G, 1A, 6, IV, V, XII	HL
<i>Campylium elodes</i> (Lindb.) Kindb.	1A	
<i>Campylium stellatum</i> (Hedw.) C. E. O. Jensen var. <i>stellatum</i>	G, 1A, IV, XII	HL, HT
<i>Campylopus flexuosus</i> (Hedw.) Brid.	2	HD
<i>Campylopus fragilis</i> (Brid.) Bruch & Schimp.	XV	
<i>Campylopus introflexus</i> (Hedw.) Brid.	1A	
<i>Ceratodon purpureus</i> (Hedw.) Brid.	G	
<i>Cirriphyllum piliferum</i> (Hedw.) Grout	1A, 6A	
<i>Climacium dendroides</i> (Hedw.) F. Weber & D. Mohr	G, 6, VI	HL
<i>Cratoneuron filicinum</i> (Hedw.) Spruce	1A, V, XII	HT
<i>Ctenidium molluscum</i> (Hedw.) Mitt.	G, 1A, IV, XII	
<i>Dicranella varia</i> (Hedw.) Schimp.	V	
<i>Dicranodontium denudatum</i> (Brid.) E. Britton	V	
<i>Dicranum bonjeanii</i> De Not.	G, 3, 5	HL, HT
<i>Dicranum montanum</i> Hedw.	G, 1A, 6, V	HL
<i>Dicranum polysetum</i> Sw.	4	
<i>Dicranum scoparium</i> Hedw.	G, 2, 5, V	HL
<i>Dicranum viride</i> (Sull. & Lesq.) Lindb. (FFH-Art)	G, 3, V	HD, HT
<i>Didymodon fallax</i> (Hedw.) R. H. Zander	V	
<i>Didymodon ferrugineus</i> (Besch.) M. O. Hill	V	HD, HT
<i>Drepanocladus cossonii</i> (Schimp.) Loeske	G, 1A, 4, 6, IV, XII	HT
<i>Entodon concinnus</i> (De Not.) Paris	3	
<i>Eurhynchium angustirete</i> (Broth.) T. J. Kop.	G, 6A	
<i>Eurhynchium striatum</i> (Hedw.) Schimp.	V	
<i>Eurhynchium hians</i> (Hedw.) Sande Lac.	1A, V	
<i>Fissidens adianthoides</i> Hedw.	G, 1A, 4 XII	HT
<i>Fissidens taxifolius</i> Hedw.	V	
<i>Funaria hygrometrica</i> Hedw.	V	
<b><i>Hamatocaulis vernicosus</i> (Mitt.) Hedenäs (FFH-Art)</b>		<b>HL*</b>
<i>Herzogiella seligeri</i> (Brid.) Z. Iwats.	G, 6, V	
<i>Homalia trichomanoides</i> (Hedw.) Schimp.	V	
<i>Homalothecium lutescens</i> (Hedw.) H. Rob.		HL*
<i>Homalothecium sericeum</i> (Hedw.) Schimp.	G, 4, 5	
<i>Hylocomium brevirostre</i> (Brid.) Schimp.	V	

<b>Laubmoose</b>		
<i>Hylocomium splendens</i> (Hedw.) Schimp.	G, 1A, 2, 5, V, VI	HL
<i>Hypnum cupressiforme</i> Hedw. var. <i>cupressiforme</i>	G, 3, 6, V, XIX	HL
<i>Hypnum cupressiforme</i> var. <i>lacunosum</i> Brid.	3	
<i>Isothecium alopecuroides</i> (Dubois) Isov.	G, 1, V	HL
<i>Leucobryum glaucum</i> (Hedw.) Ångstr.	G, 3, V	
<i>Leucodon sciuroides</i> (Hedw.) Schwägr.	G, 3, 5, 6, V, VI	HL
<i>Mnium spinosum</i> (Voit) Schwägr.	3	
<i>Orthotrichum affine</i> Brid.	3	
<i>Orthotrichum anomalum</i> Hedw.	4	
<i>Orthotrichum diaphanum</i> Brid.	3	
<i>Orthotrichum lyellii</i> Hook. & Taylor	G, 5, 6, VI	HB
<i>Orthotrichum patens</i> Brid.	3	
<i>Orthotrichum pumilum</i> Sw.	G, 6	
<i>Orthotrichum speciosum</i> Nees	G, 3, 6	HT
<i>Orthotrichum stramineum</i> Brid.	G, 5, 6	HL
<i>Orthotrichum striatum</i> Hedw.		HL
<i>Palustriella commutata</i> (Hedw.) Ochyra var. <i>commutata</i>	G, 1A, XII, 6a	HT
<i>Plagiomnium affine</i> (Blandow) T.J. Kop.	6	
<i>Plagiomnium cuspidatum</i> (Hedw.) T.J. Kop.	6	HL
<i>Plagiomnium elatum</i> (Bruch & Schimp.) T.J. Kop.	G, 6A, XII	HT
<i>Plagiomnium rostratum</i> (anon.) T. J. Kop.		HL
<i>Plagiomnium undulatum</i> (Hedw.) T.J. Kop.	6	HL
<i>Plagiothecium nemorale</i> (Mitt.) A. Jaeger	V	
<i>Platygyrium repens</i> (Brid.) Schimp.	G, 3	HL
<i>Pleurozium schreberi</i> (Brid.) Mitt.	G, 3, 6	HL
<i>Pohlia nutans</i> (Hedw.) Lindb.	G, 1A	
<i>Pohlia wahlenbergii</i> (F. Weber & D. Mohr) A. L. Andrews	V	
<i>Polytrichum formosum</i> Hedw.	G, 3, 5, V	HL
<i>Polytrichum juniperinum</i> Hedw.	4	HL
<i>Pseudocrossidium hornschuchianum</i> (Schultz) R.H. Zander	V	HD
<i>Pterigynandrum filiforme</i> Hedw.	G, 5, V	
<i>Pylaisia polyantha</i> (Hedw.) Schimp.	G, 6	HT
<i>Rhizomnium punctatum</i> (Hedw.) T.J. Kop.	1A, V	HL
<i>Rhynchostegium murale</i> (Hedw.) Schimp.	V	
<i>Rhytidiadelphus squarrosus</i> (Hedw.) Warnst.	G, 2, 4, 6	HL
<i>Rhytidiadelphus triquetrus</i> (Hedw.) Warnst.	G, 3, 4, 6	HL
<i>Rhytidium rugosum</i> (Hedw.) Kindb.	3	HL
<i>Schistidium apocarpum</i> s. str.	S3	
<i>Scleropodium purum</i> (Hedw.) Limpr.	G, 2, 5,	HL

<b>Laubmoose</b>		
	XIX	
<i>Scorpidium scorpioides</i> (Hedw.) Limpr.	IV	HB
<i>Tetraphis pellucida</i> Hedw.	V	
<i>Thuidium abietinum</i> (Hedw.) Schimp.	3	
<i>Thuidium assimile</i> (Mitt.) A. Jaeger	1A	
<i>Thuidium delicatulum</i> (Hedw.) Schimp.	G	HL*
<i>Thuidium tamariscinum</i> (Hedw.) Schimp.	1A, V	
<i>Tortella tortuosa</i> (Hedw.) Limpr.	4, 6, V	HL
<i>Ulota bruchii</i> Brid.	G, 6, V	HL
<i>Ulota crispa</i> (Hedw.) Brid.	G, 1A, 3, 5, V	HL
<i>Zygodon dentatus</i> (Limpr.) Kartt.	G, 3	HT
<i>Zygodon rupestris</i> Schimp.: Lorentz	G	HT

### Flechten

HL Liste von H. Hertel und H. Laux

HL\* Von v. Brackel und Dürhammer nicht bestätigt

HD Herbarium O. Dürhammer

<i>Amandinea punctata</i> (Hoffm.) Coppins & Scheid.	HL
<i>Anaptychia ciliaris</i> (L.) Körb. ex A. Massal.	
<i>Arthonia radiata</i> (Pers.) Ach.	HL
<i>Bryoria fuscescens</i> (Gyeln.) Brodo & D. Hawksw.	
<i>Buellia griseovirens</i> (Turner & Borrer ex Sm.) Almb.	
<i>Calicium abietinum</i> Pers.	HL*
<i>Calicium viride</i> Pers.	HL*
<i>Candelariella aurella</i> (Hoffm.) Zahlbr.	HL
<i>Candelariella reflexa</i> (Nyl.) Lettau	HL*
<i>Candelariella xanthostigma</i> (Ach.) Lettau	
<i>Cetrelia cetrarioides</i> (Delise ex Duby) W. L. Culb. & C. F. Culb.	HL*
<i>Chaenotheca chrysocephala</i> (Turner ex Ach.) Th. Fr.	
<i>Chaenotheca ferruginea</i> (Turner & Borrer) Mig.	HL
<i>Chrysothrix chlorina</i> (Ach.) J. R. Laundon	
<i>Cladonia coniocraea</i> auct.	HL
<i>Cladonia digitata</i> (L.) Hoffm.	HL
<i>Cladonia fimbriata</i> (L.) Fr.	
<i>Cladonia furcata</i> (Huds.) Schrad. ssp. <i>furcata</i>	
<i>Cladonia pyxidata</i> ssp. <i>chlorophaea</i> (Sommerf.) V. Wirth	
<i>Cladonia rangiformis</i> Hoffm.	HL
<i>Cladonia squamosa</i> (Scop.) Hoffm. var. <i>squamosa</i>	HL
<i>Dimerella pineti</i> (Ach.) Vězda	
<i>Evernia prunastri</i> (L.) Ach.	HL
<i>Graphis scripta</i> (L.) Ach.	HL
<i>Hypocenomyce scalaris</i> (Ach. ex Lilj.) M. Choisy	HL
<i>Hypogymnia physodes</i> (L.) Nyl.	

<i>Hypogymnia tubulosa</i> (Schaer.) Hav.	HL
<i>Imshaugia aleurites</i> (Ach.) S. L. F.Meyer	HL
<i>Lecania cyrtella</i> (Ach.) Th. Fr.	
<i>Lecanora chlarotera</i> Nyl.	HL
<i>Lecidella elaeochroma</i> (Ach.) M. Choisy	HL
	HL ohne
<i>Lepraria incana</i> (L.) Ach.	DC
<i>Lepraria jackii</i> Tønsberg	
<i>Micarea denigrata</i> (Fr.) Hedl.	
<i>Normandina pulchella</i> (Borrer) Nyl.	
<i>Pleurosticta acetabulum</i> (Neck.) Elix & Lumbsch	
<i>Flavoparmelia caperata</i> (L.) Hale	HL
<i>Melanelia exasperatula</i> (Nyl.) Essl.	HL
<i>Melanelia glabratula</i> (Lamy) Essl.	HL
<i>Flavoparmelia flaventior</i> (Stirt.) Hale	HL
<i>Parmelina pastillifera</i> (Harm.) Hale	HD
<i>Parmelia saxatilis</i> (L.) Ach.	HL
<i>Punctelia subrudecta</i> (Nyl.) Krog.	HL
<i>Parmelia sulcata</i> Taylor	HL
<i>Parmelina tiliacea</i> (Hoffm.) Hale	HL
<i>Parmeliopsis ambigua</i> (Wulfen) Nyl.	
<i>Peltigera praetextata</i> (Flörke ex Sommerf.) Zopf	HL
<i>Pertusaria albescens</i> (Huds.) M. Choisy & Werner	HL
<i>Pertusaria amara</i> (Ach.) Nyl.	
<i>Pertusaria pertusa</i> (Weigel) Tuck.	HL
<i>Petractis clausa</i> (Hoffm.) Krempelh.	HL*
<i>Phaeophyscia orbicularis</i> (Neck.) Moberg	
<i>Phlyctis argena</i> (Spreng.) Flot.	HL
<i>Physcia adscendens</i> (Fr.) H. Olivier	
<i>Physcia stellaris</i> (L.) Nyl.	HL
<i>Physcia tenella</i> (Scop.) DC.	
<i>Physconia distorta</i> (With.) J. R. Laundon	
<i>Physconia enteroxantha</i> (Nyl.) Poelt	
<i>Physconia perisidiosa</i> (Erichsen) Moberg	
<i>Placynthium nigrum</i> (Hudson) S. Gray	HL*
<i>Placynthiella icmalea</i> (Ach.) Coppins & P. James	
<i>Platismatia glauca</i> (L.) W. L. Culb. & C. F. Culb.	HL
<i>Porina aenea</i> (Wallr.) Zahlbr.	
<i>Protoblastenia rupestris</i> (Scop.) J. Steiner	HL
<i>Pseudevernia furfuracea</i> (L.) Zopf	HL
<i>Ramalina farinacea</i> (L.) Ach.	
<i>Ramalina fraxinea</i> (L.) Ach.	
<i>Ramalina pollinaria</i> (Westr.) Ach.	HL
<i>Trapeliopsis flexuosa</i> (Fr.) Coppins & P. James	
<i>Usnea filipendula</i> Stirt.	
<i>Verrucaria nigrescens</i> Pers.	
<i>Xanthoria candelaria</i> (L.) Th. Fr.	
<i>Xanthoria parietina</i> (L.) Th. Fr.	HL